

L Number	Hits	Search Text	DB	Time stamp
1	366	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)	USPAT	2004/07/12 08:33
-	224	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((link connection path iur) near30 (rate bmit bit bite cost))	USPAT	2004/07/11 16:10
-	66	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 (rate bmit bit bite cost))	USPAT	2004/07/11 16:54
-	2	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 (price cost))	USPAT	2004/07/11 16:49
-	4	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 (price cost))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/07/11 16:50
-	7	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 ((rate speed) near3 transmi\$5))	USPAT	2004/07/11 16:57
-	238	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 transmi\$5)	USPAT	2004/07/11 16:57
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 ((rate speed) near3 process\$5))	USPAT	2004/07/11 16:59
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 ((rate speed) near3 transfer\$5))	USPAT	2004/07/11 17:06
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((between) near30 ((rate speed) near3 (process\$4 transfer\$5)))	USPAT	2004/07/11 17:02
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30((iur) near30 ((rate speed) near3 transfer\$5))	USPAT	2004/07/11 17:02
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near30 ((rate speed) near3 transfer\$5))	USPAT	2004/07/11 17:03
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (iur near3 transfer\$5)	USPAT	2004/07/11 17:03
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (iur near30 (process\$4 transmi\$6 send\$5 pass\$5 deliver\$5 transfer\$5))	USPAT	2004/07/11 17:04
-	49	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/11 17:10
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/11 17:09
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$5 sustain\$6))	USPAT	2004/07/11 17:09
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$5 sustain\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/07/11 17:09
-	48	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near12 ((link connection path) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 08:27

L Number	Hits	Search Text	DB	Time stamp
1	366	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 10:02
2	76519	370/\$.ccls. 455/\$.ccls.	USPAT	2004/07/12 08:34
3	298	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (370/\$.ccls. 455/\$.ccls.)	USPAT	2004/07/12 08:35
4	422	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 08:36
5	347	(370/\$.ccls. 455/\$.ccls.) and (((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)))	USPAT	2004/07/12 08:36
6	62	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 08:39
7	183	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and ((\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near6 (link connection path between))	USPAT	2004/07/12 08:41
8	166	(370/\$.ccls. 455/\$.ccls.) and (((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and ((\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near6 (link connection path between))))	USPAT	2004/07/12 08:41
9	261	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 09:20
10	215	(370/\$.ccls. 455/\$.ccls.) and (((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)))	USPAT	2004/07/12 08:41
11	5	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost))	USPAT	2004/07/12 09:00
12	27	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near14 (cost))	USPAT	2004/07/12 09:05

13	23	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near14 (cost))) not (((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost)))	USPAT	2004/07/12 09:01
14	37	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near14 (cost))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/07/12 09:05
15	85	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (frame slot packet\$3))	USPAT	2004/07/12 09:19
16	996127	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near8 (frame slot packet\$3))	USPAT	2004/07/12 09:14
17	996127	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near8 (frame slot packet\$3))	USPAT	2004/07/12 09:14
18	59	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near12 (link connection path between) near9 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near9 (frame slot packet\$3))	USPAT	2004/07/12 09:15
19	208	(roam\$3 near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 09:20
20	174	(370/\$.ccls. 455/\$.ccls.) and ((roam\$3 near30 (determin\$5 based correspond\$5 inrespon\$5 accord\$5 respect\$5) near14 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)))	USPAT	2004/07/12 09:21
21	33	(roam\$3 near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (link connection path between) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)	USPAT	2004/07/12 09:36
22	1	(roam\$3 near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1) near30 (transmi\$7 rate process frame slot bit mbit megabit\$3 data cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)	USPAT	2004/07/12 09:39
23	1	(roam\$3 near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (transmi\$7 rate process frame slot bit mbit megabit\$3 data cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)	USPAT	2004/07/12 09:40
24	15395	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) roam\$3 near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (transmi\$7 rate process frame slot bit mbit megabit\$3 data cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)	USPAT	2004/07/12 09:40

25	2	((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) roam\$3) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (transmi\$7 rate process frame slot bit mbit megabit\$3 data cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 09:54
26	0	((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) roam\$3) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (transmi\$7 rate process frame slot bit mbit megabit\$3 data cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	EPO; JPO; DERWENT; IBM_TDB	2004/07/12 09:52
27	3	((travel move) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (transmi\$7 rate process frame slot bit mbit megabit\$3 data cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 09:53
28	1	((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) roam\$3) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (signal)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 09:55
29	1	((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) roam\$3) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (signal))	USPAT	2004/07/12 09:56
30	4	((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu))	USPAT	2004/07/12 09:59
31	3	(((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4))) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu)) not (((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) roam\$3) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (\$1iu \$1iur iu\$1 iur\$1 iu) near30 (signal)))	USPAT	2004/07/12 09:57
32	11	((((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4))) near22 (\$1iu \$1iur iu\$1 iur\$1 iu))	USPAT	2004/07/12 09:59
33	91	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (interface) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 10:03
34	2	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (\$1rnc \$1bsc \$1nsc \$1control\$3 \$1node) near12 (interface adj unit) near30 (cost rate speed process\$3 overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6)) and (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 10:04
-	224	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((link connection path iur) near30 (rate bmit bit bite cost))	USPAT	2004/07/11 16:10
-	66	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 (rate bmit bit bite cost))	USPAT	2004/07/11 16:54
-	2	((handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 (price cost))	USPAT	2004/07/11 16:49

-	4	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 (price cost))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/07/11 16:50
-	7	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 ((rate speed) near3 transmi\$5))	USPAT	2004/07/11 16:57
-	238	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 transmi\$5)	USPAT	2004/07/11 16:57
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 ((rate speed) near3 process\$5))	USPAT	2004/07/11 16:59
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near30 ((rate speed) near3 transfer\$5))	USPAT	2004/07/11 17:06
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((between) near30 ((rate speed) near3 (process\$4 transfer\$5)))	USPAT	2004/07/11 17:02
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30((iur) near30 ((rate speed) near3 transfer\$5))	USPAT	2004/07/11 17:02
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near30 ((rate speed) near3 transfer\$5))	USPAT	2004/07/11 17:03
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (iur near3 transfer\$5)	USPAT	2004/07/11 17:03
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (iur near30 (process\$4 transmi\$6 send\$5 pass\$5 deliver\$5 transfer\$5))	USPAT	2004/07/11 17:04
-	49	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near30 ((link connection path iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/11 17:10
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/11 17:09
-	0	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$5 sustain\$6))	USPAT	2004/07/11 17:09
-	1	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 ((iur) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$5 sustain\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/07/11 17:09
-	48	(handoff\$3 handover\$4 (hand\$3 adj off\$3) (hand\$3 adj over\$4)) near30 (rnc bsc nsc control\$3) near12 ((link connection path) near8 (overload\$5 over-load\$ overcappacity over-cappacity congest\$5 capacity load\$3 handl\$ sustain\$6))	USPAT	2004/07/12 08:27